

High Frequency Measurements in Shock-Wave/Turbulent Boundary-Layer Interaction at Duplicated Flight Conditions, Phase I


Completed Technology Project (2011 - 2011)



Project Introduction

Large amplitude, unsteady heating loads and steep flow gradients produced in regions of shock-wave/turbulent boundary-layer interaction (SWTBLI) pose a serious and challenging problem for designers of hypersonic vehicles. Characterizing SWTBLI flow features, such as the size of flow separation, is important for design evaluation and CFD validation. Tao Systems and CUBRC propose to develop a wide-bandwidth, thin-film heat transfer sensor system that quantifies the high frequency SWTBLI at duplicated flight conditions. This effort combines Tao Systems' high frequency-response/high-sensitivity electronics and signal processing techniques with the unique expertise of CUBRC in high-speed, high-enthalpy flows to obtain spatiotemporal information for the development of physics-based turbulence models.

Primary U.S. Work Locations and Key Partners



High Frequency Measurements in Shock-Wave/Turbulent Boundary-Layer Interaction at Duplicated Flight Conditions, Phase I

Table of Contents

| | |
|--|---|
| Project Introduction | 1 |
| Primary U.S. Work Locations and Key Partners | 1 |
| Project Transitions | 2 |
| Organizational Responsibility | 2 |
| Project Management | 2 |
| Technology Maturity (TRL) | 3 |
| Technology Areas | 3 |
| Target Destinations | 3 |

High Frequency Measurements in Shock-Wave/Turbulent Boundary-Layer Interaction at Duplicated Flight Conditions, Phase I

Completed Technology Project (2011 - 2011)



| Organizations Performing Work | Role | Type | Location |
|----------------------------------|-------------------------|--|-------------------|
| Tao of Systems Integration, Inc. | Lead Organization | Industry Minority-Owned Business, Small Disadvantaged Business (SDB) | Hampton, Virginia |
| ● Johnson Space Center(JSC) | Supporting Organization | NASA Center | Houston, Texas |

Primary U.S. Work Locations

| | |
|-------|----------|
| Texas | Virginia |
|-------|----------|

Project Transitions

**February 2011:** Project Start**September 2011:** Closed out

Closeout Documentation:

- Final Summary Chart(<https://techport.nasa.gov/file/140172>)

Organizational Responsibility

Responsible Mission Directorate:

Space Technology Mission Directorate (STMD)

Lead Organization:

Tao of Systems Integration, Inc.

Responsible Program:

Small Business Innovation Research/Small Business Tech Transfer

Project Management

Program Director:

Jason L Kessler

Program Manager:

Carlos Torrez

Principal Investigator:

Arun Mangalam

Co-Investigator:

Arun Mangalam


High Frequency Measurements in Shock-Wave/Turbulent Boundary-Layer Interaction at Duplicated Flight Conditions, Phase I

Completed Technology Project (2011 - 2011)



Technology Maturity (TRL)

Start: **1**
Current: **4**
Estimated End: **4**



Technology Areas

Primary:

- TX14 Thermal Management Systems
 - └ TX14.2 Thermal Control Components and Systems
 - └ TX14.2.2 Heat Transport

Target Destinations

The Sun, Earth, The Moon, Mars, Others Inside the Solar System, Outside the Solar System